



































FEATURE LIST							
Variants	LXi MT	VXi MT/CNG	ZXi MT	ZXi+ MT	VXi AGS	ZXi AGS	ZXi+AGS
EXTERIORS	LXIIVII	VXI WIT/CNG	ZXIIVII	ZXI+ WII	VXI AGS	ZALAGS	ZXI+AGS
ORVM with Turn Indicators	Х	Х	√		Х	1	
Front Fog Lamps	X	X	X		X	X	
Body-Coloured Bumper	^	-	-	1	<i>^</i>	-	· /
Body-Coloured DRVMs	X		,	,	,	· ·	,
Body-Coloured Outside Door Handles	X	_	· /		· /		
Chrome accent on front grille	- X	-	· /		-		
B Pillar Black Out Tape	Х	X	X	1	X	X	√
Full Wheel Covers	X (Center cap)	<i>'</i>	√ ·	X	√ ·	<i>'</i>	х
15" (38.02cm) Allov Wheels	X X	X	X	√	X	X	_
INTERIORS	,	~	,		Α		
Co-Dr Vanity Mirror in Sun Visor	Х	√	✓	√	√	√	√
Dr. Side Sunvisor with ticket holder	✓	✓	✓	✓	✓	V	√
Day Night IRVM	Х	V	✓	√	√	1	√
Bottle Holder	6	6	6	6	6	6	6
Driver Seat Height Adjuster	Х	Х	X	V	Х	Х	✓
Front Seat Back Pockets (Passenger Side)	✓	√	✓	✓	√	/	√
Rear Seat (60:40 split)	X	✓	V	✓	✓	✓	✓
Front and Rear Headrest	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Rear Parcel Shelf	X	✓	✓	✓	✓	✓	✓
COMFORT AND CONVENIENCE							
Air Conditioner (Manual)	✓	✓	✓	✓	✓	1	✓
Pollen Filter	√	✓	✓	✓	✓	✓	✓
Engine Push Start/Stop with Smart Key	X	X	X	✓	X	X	✓
Smartplay Studio System with Smartphone Navigation and	x	x	Х	1	x	×	√
Voice Command (Android Auto and Apple CarPlay enabled)							
Smart Play Dock - USB, FM, AUX, BT	X	X	✓	X	X	✓	X
No. of Speakers	X	X	4	4	Х	4	4
Remote Keyless Entry	X	X	✓	✓	Х	✓	✓
Security System	X	X	4	✓	X	✓	✓
Central Door Lock (5 Doors)	X	✓	✓	✓	✓	✓	✓
Power Windows	Х	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr
Power Windows - Auto Down (Driver Side)	Х	√	✓	✓	√	✓	√
Outside Mirrors Type	Flap Type	Electrically Adjustable	Electrically Adjustable	Electrically Adjustable	Electrically Adjustable	Electrically Adjustable	Electrically Adjustable
Electrically-Foldable ORVM	Х	Х	Х	✓	Х	х	√
Steering-Mounted Audio Controls	Х	Х	✓	/	Х	✓	✓
Steering-Mounted Voice Control	Х	Х	Х	V	Х	Х	V
Power-Steering	✓	√	✓	✓	✓	√	✓
CENTRAL CONSOLE & INSTRUMENT PANEL							
Illumination Colour	Amber	Amber	Amber	Amber	Amber	Amber	Amber
Tachometer	X	X	✓	✓	✓	✓	✓
Urethane Steering Wheel	✓	✓	✓	✓	√	✓	✓
Tilt Steering	Х	X	✓	✓	X	✓	√
Accessory Socket	✓	√	✓	1	√	√	✓
Dial-Type Climate Control	Black	Silver Painted	Silver Painted	Silver Painted	Silver Painted	Silver Painted	Silver Painted
Fuel Consumption	V	✓	✓	✓	✓	✓	✓
(Instantaneous and avg.) Distance to Empty		_		/	√	_	/
Gear Position Indicator	X	X	X	X	V	V /	V /
Gear Shift Indicator	X	X	X /	X	X	X	X
Door Ajar Warning Lamp	· ·	V		· /	X /	X /	X /
	· ·	V		· /	V	V /	V /
Headlamp Warning	· ·	· ·	√	✓	√	V /	
Low Fuel Warning	1	· /	✓ /	V	✓		√
Key off / Headlamp on Reminder SAFETY AND SECURITY		· ·	· ·	· ·	· ·	· ·	· ·
Driver Airbag	/	/	/	/	/		/
Passenger Airbags	· ·	· /	· /	V	✓	· /	V
Seat Belt Reminder (Driver + Passenger)	· ·	· ·	· /	· /	V	· ·	V /
Seat Belt for all Seats	· ·	✓	✓ ✓	✓	V	V	✓
Speed-Sensitive Auto Door Lock	X	· /		· ·	√	· ·	V /
Speeu-Sensitive Auto Door Lock	X	V	· ·				

Drive with a mileage of:

km/l LXi MT,

VXi MT, ZXi MT

km/l ZXi+ MT

























FEATURE LIST							
Variants	LXi MT	VXi MT/CNG	ZXi MT	ZXi+ MT	VXi AGS	ZXi AGS	ZXi+AGS
Impact-Sensing Auto Door Unlock	X	V	√	✓	√	✓	V
Pedestrian Protection	✓	√	✓	✓	✓	V	✓
ABS	✓	· /	✓	✓	√	√	✓
Front Seat Belts Pre-tensioner and Force Limiter	✓	1	✓	✓	✓	√	✓
Headlight Leveling	✓	1	✓	√	√	V	✓
Rear Window Wiper & Washer	X	Х	✓	√	X	V	✓
Front Ventilated Disc	✓	✓	√	✓	✓	√	✓
Immobilizer	✓	√	✓	✓	√	√	✓
Child-Proof Rear Door Locks	✓	√	/	✓	√	V	✓
Rear Defogger	Х	Х	√	✓	X	√	✓
Speed Alert System [^]	✓	✓	1	✓	✓	√	V
Reverse Parking Assist Sensors	✓	✓	1	✓	✓	1	✓
NEW TECHNOLOGY							
Engine Idle Start Stop	✓	✓ (Petrol)	1	√	√	1	✓
Hill Hold Assist	X	X	X	X	✓	√	_

SPECIFICATION SHEET		PETROL	CNG					
Variants		LXi, VXi, VXi AGS, ZXi, ZXi AGS, ZXi+, ZXi+ AGS	VXi					
DIMENSIONS (in mm)								
Overall Length		369	95					
Overall Width		165	1655					
Overall Height		155	1555					
Wheelbase		243	2435					
- 1	Front	1430(R14),1	1440(R15)					
Tread Rear		1440(R14),1	1440(R14),1450(R15)					
ENGINE								
Туре		K10C	K10C CNG					
Capacity		998						
Engine Type		Alumir	Aluminium					
Number of Cylinders		3	3					
Number of Valves in Each Cylinder		4						
Maximum Output (kW@rpr	n)	49@5500	CNG Mode: 41.7@5300					
	,	45@0000	Gasoline Mode: 48@5500					
Maximum Torque (Nm@rpm)		89@3500	CNG Mode: 82.1@3400					
	,	05@0000	Gasoline Mode: 89@3500					
Emission Standard Type			BS6					
Accelerator Pedal Type		Electric	Electric type					
TRANSMISSION								
Туре		5MT/ Auto Gear Shift	5MT					
SUSPENSION SYSTEM								
Front			Mac Pherson Strut with Coil Spring					
Rear		Torsion Beam w	Torsion Beam with Coil Spring					
WEIGHT (kg)								
Kerb Weight		800 kg (LXi MT); 810 kg (VXi MT/ ZXi MT); 815 kg (VXi AGS); 820 kg (ZXi+ MT/ ZXi AGS); 825 kg (ZXi+ AGS)	905 kg (VXi MT)					
Gross Vehicle Weight		1260	1320					
CAPACITY								
Seating Capacity	Persons	5						
Luggage Capacity (L)		313***	-					
Fuel Tank Capacity (L)		32	Petrol: 32 CNG: 60 (Water Equivalent)					
POWER STEERING								
Туре		Electric Power	Electric Power Steering					
TYRES Tyre Size**		7Yi+ -175/60 P 15 I Yi	ZXi+ -175/60 R 15, LXi,VXi,ZXi - 165/70 R 14					
BRAKES		ZAIT -113/00 R 13, EAI,	ZAIT -110/00 N 10, LAI, VAI, ZAI - 100/10 N 14					
Front		Dia	Disc					
Rear			Drum					
IICai		l Did	P-Auto Goor Shift					

Fr-Front, Rr-Rear, Dr-Driver, MT-Manual Transmission, AGS-Auto Gear Shift

COLOUR SPECIFICATIONS

SPEEDY BLUE GLISTENING ARCTIC SILKY SOLID CAFFEINE GREY WHITE SILVER FIRE RED BROWN

'As certified by test agency under rule 115(G) of CMVR 1989.

All variants LXi, VXi, ZXi & ZXi+ are BS VI compliant.

MT: Manual Transmission, AGS: Auto Gear Shift

Maruti Suzuki India Limited reserves the right to change, without notice, price, colours, equipment specifications, and models and also to discontinue models and/or replace any part or accessory with any product. Accessory and feature shown in the pictures may not be a part of standard equipment and will differ according to the variant. Image used are for illustration purposes only. For details on functioning of safety features, including air bag, kindly refer to the Owner's Manual. *The speed alert system gives audible warning with two beeps will sound every minute. When the vehicle speed exceeds about 120 km/h, primary level warning with row beeps will sound every minute. When the vehicle speed exceeds about 118 km/h, primary warning will resume. If the vehicle is slowed down to about 178 km/h, primary warning will resume. If the vehicle is slowed down to about 178 km/h, primary warning will resume. If the vehicle is slowed down to about 178 km/h, primary warning will resume. If the vehicle is slowed down to about 178 km/h, primary warning will resume. If the vehicle is slowed down to about 178 km/h, primary warning will resume. If the vehicle is slowed down to about 178 km/h, primary warning will resume. If the vehicle is slowed down to about 178 km/h, primary warning will resume. If the vehicle is slowed down to about 178 km/h, primary warning will resume. If the vehicle is slowed down to about 178 km/h, primary warning will resume.

^{*#}Claim supported by independent research agency-JATO Dynamics Limited and is applicable in the petrol category.

^{*}ABS is a device that assists the driver during braking. It does not eliminate the need to drive safely, for example by slowing down when approaching a corner.



For more details, contact Toll Free No: 1800 102 1800, 1800 1800 180

Maruti Suzuki India Limited, reserves the right to change without notice, prices, colours, equipments specifications, variants and also to discontinue models. Accessories and features shown in the pictures may not be part of standard equipment, and will differ according to the variant. For variant-specific features, refer to the equipment list. Colours shown may vary from actual body colours due to printing on paper. Images used are for illustration purposes.

MARUTI SUZUKI INDIA LTD., Plot No. 1, Nelson Mandela Road, Vasant Kunj, New Delhi 110070, Tel.011-46781000.