



BMW Annual Report Details

Application Id: 33684235

Particulars of the Occupier	
Annual report submit for year:	2022
Name of the authorized person:	Kenichi Ayukawa
Name of HCF or CBMWTF:	Maruti Suzuki India Limited
Address for Correspondence:	Palam Gurgaon Road
Address of Facility:	Palam Gurgaon Road, Gurgaon
Tel. No.:	9810380955
Fax. No.:	-
E-mail ID:	madan.bansode@maruti.co.in
URL of Website:	www.marutisuzuki.com
GPS coordinates of HCF of CBMWTF:	Longitude - 28.49, Latitude - 77.06
Ownership of HCF or CBMWTF:	Private
Status of Authorization under the BMW (Management and Handling) Rules:	
Authorization No.:	BMW17GUNO3589059
Valid Upto:	30/09/2024
Status of Consents under Water Act and Air Act.:	
Valid Upto:	30/09/2024

Health Care Facilities Details	
HCF/CBMWTF Type:	HCF
No. of Beds(for Bedded Hospital):	0
Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):	Occupational Health Centre
Licence Number:	0
Licence date of expiry:	

Quantity of Waste Generated	
Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	
Yellow Category:	22
Red Category:	27
White Category:	3
Blue Category:	5
General Solid Waste:	0

Storage, Treatment, Transportation, Processing and Disposal Facility Details	
Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0

No of vehicles used for collection and transportation of BMW:	0
Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	Biotic Waste Limited
Details of the on-site storage facility:	
Size:	NA
Capacity:	NA
Provision of on-site storage:	NA

Disposal Facility			
Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)
List is Empty			

Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum		
Type of waste	Quantity Generated	Where disposal
List is Empty		

BMW Management Committee	
Do you have BMW management committee:	yes
details:	GGN

Training Conducted on BMW Details	
Number of training conducted on BMW Management:	2
Number of personnel trained:	14
Number of personnel trained at the time of induction:	0
Number of personnel not undergone any training so far:	0
Whether standard manual for training is available:	yes
Any other information:	

Details of the accident occurred	
No. of accident occurred:	0
Number of the persons affected:	0
Remedial Action taken:	NA
Any Fatality occurred, details:	NA

Other Details	
Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	Not Applicable
Details of Continuous online emission monitoring systems installed:	Not Applicable
Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	Not Applicable

It the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:	Not Applicable
Any other relevant information:	Not Applicable



BMW Annual Report Details

Application Id: 33687777

Particulars of the Occupier	
Annual report submit for year:	2022
Name of the authorized person:	Hitashi Takeuchi
Name of HCF or CBMWTF:	Maruti Suzuki India Limited
Address for Correspondence:	Palam Gurgaon Road
Address of Facility:	Plot No.-1,Phase-3A, IMT, Manesar, Gurgaon(Haryana)
Tel. No.:	9810380955
Fax. No.:	-
E-mail ID:	madan.bansode@maruti.co.in
URL of Website:	www.marutisuzuki.com
GPS coordinates of HCF of CBMWTF:	Longitude - 28.36, Latitude - 77.88
Ownership of HCF or CBMWTF:	Private
Status of Authorization under the BMW (Management and Handing) Rules:	
Authorization No.:	313091420GUSOCTO7661844
Valid Upto:	30/09/2025
Status of Consents under Water Act and Air Act.:	
Valid Upto:	30/09/2025

Health Care Facilities Details	
HCF/CBMWTF Type:	HCF
No. of Beds(for Bedded Hospital):	0
Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):	Occupational Health Centre
Licence Number:	0
Licence date of expiry:	

Quantity of Waste Generated	
Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	
Yellow Category:	28
Red Category:	29
White Category:	1
Blue Category:	2
General Solid Waste:	0

Storage, Treatment, Transportation, Processing and Disposal Facility Details

Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0
No of vehicles used for collection and transportation of BMW:	0
Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	Biotic Waste Ltd.
Details of the on-site storage facility:	
Size:	Not Applicable
Capacity:	Not Applicable
Provision of on-site storage:	Not Applicable

Disposal Facility			
Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)
List is Empty			

Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum		
Type of waste	Quantity Generated	Where disposal
List is Empty		

BMW Management Committee	
Do you have BMW management committee:	yes
details:	Manesar

Training Conducted on BMW Details	
Number of training conducted on BMW Management:	2
Number of personnel trained:	52
Number of personnel trained at the time of induction:	0
Number of personnel not undergone any training so far:	0
Whether standard manual for training is available:	yes
Any other information:	

Details of the accident occurred	
No. of accident occurred:	0
Number of the persons affected:	0
Remedial Action taken:	0
Any Fatality occurred, details:	0

Other Details	
Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	Not Applicable
Details of Continuous online emission monitoring systems installed:	Not Applicable

Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	Not Applicable
It the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:	Not Applicable
Any other relevant information:	Not Applicable



Haryana State Pollution Control Board
Haryana State Pollution Control Board, 3rd Floor, HSIIDC Office
Complex, IMT Manesar, Gurugram Email:- hspcbrogrs@gmail.com



BMW Annual Report Details

Application Id: 33687100

Particulars of the Occupier	
Annual report submit for year:	2022
Name of the authorized person:	Kenichi Ayukawa
Name of HCF or CBMWTF:	Maruti Suzuki India Limited
Address for Correspondence:	Palam Gurgaon Road
Address of Facility:	Plot No 26-B, Sec-3, IMT, Manesar, Gurgaon(Haryana)
Tel. No.:	9810380955
Fax. No.:	-
E-mail ID:	madan.bansode@maruti.co.in
URL of Website:	www.marutisuzuki.com
GPS coordinates of HCF of CBMWTF:	Longitude - 28.35, Latitude - 77.92
Ownership of HCF or CBMWTF:	Private
Status of Authorization under the BMW (Management and Handing) Rules:	
Authorization No.:	BMW17GUSO3589678
Valid Upto:	30/09/2025
Status of Consents under Water Act and Air Act.:	
Valid Upto:	30/09/2025

Health Care Facilities Details	
HCF/CBMWTF Type:	HCF
No. of Beds(for Bedded Hospital):	0
Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):	Occupational Health Centre
Licence Number:	0
Licence date of expiry:	

Quantity of Waste Generated	
Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	
Yellow Category:	4
Red Category:	1
White Category:	1
Blue Category:	1
General Solid Waste:	0

Storage, Treatment, Transportation, Processing and Disposal Facility Details

Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0
No of vehicles used for collection and transportation of BMW:	0
Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	Biotic Waste Ltd.
Details of the on-site storage facility:	
Size:	Not Applicable
Capacity:	Not Applicable
Provision of on-site storage:	Not Applicable

Disposal Facility			
Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)
List is Empty			

Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum		
Type of waste	Quantity Generated	Where disposal
List is Empty		

BMW Management Committee	
Do you have BMW management committee:	yes
details:	MPTC

Training Conducted on BMW Details	
Number of training conducted on BMW Management:	2
Number of personnel trained:	18
Number of personnel trained at the time of induction:	0
Number of personnel not undergone any training so far:	0
Whether standard manual for training is available:	yes
Any other information:	

Details of the accident occurred	
No. of accident occurred:	0
Number of the persons affected:	0
Remedial Action taken:	NA
Any Fatality occurred, details:	NA

Other Details	
Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	Not Applicable
Details of Continuous online emission monitoring systems installed:	Not Applicable

Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	Not Applicable
It the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:	Not Applicable
Any other relevant information:	Not Applicable



BMW Annual Report Details

Application Id: 33687846

Particulars of the Occupier	
Annual report submit for year:	2022
Name of the authorized person:	Kenichi Ayukawa
Name of HCF or CBMWTF:	Maruti Suzuki India Limited
Address for Correspondence:	Maruti Suzuki India Limited, Palam Gurgaon Road
Address of Facility:	Plot No 1 Sector 33B-33C IMT Rohtak
Tel. No.:	9810380955
Fax. No.:	-
E-mail ID:	madan.bansode@maruti.co.in
URL of Website:	www.marutisuzuki.com
GPS coordinates of HCF of CBMWTF:	Longitude - 28.89, Latitude - 76.59
Ownership of HCF or CBMWTF:	Private
Status of Authorization under the BMW (Management and Handing) Rules:	
Authorization No.:	BMW17ROH3459219
Valid Upto:	30/09/2025
Status of Consents under Water Act and Air Act.:	
Valid Upto:	30/09/2025

Health Care Facilities Details	
HCF/CBMWTF Type:	HCF
No. of Beds(for Bedded Hospital):	0
Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):	Occupational Health Centre
Licence Number:	0
Licence date of expiry:	

Quantity of Waste Generated	
Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	
Yellow Category:	13
Red Category:	1
White Category:	0
Blue Category:	0
General Solid Waste:	0

Storage, Treatment, Transportation, Processing and Disposal Facility Details

Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0
No of vehicles used for collection and transportation of BMW:	0
Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	S.D. Biomedical Waste Mgmt Ltd.
Details of the on-site storage facility:	
Size:	Not Applicable
Capacity:	Not Applicable
Provision of on-site storage:	Not Applicable

Disposal Facility			
Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)
List is Empty			

Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum		
Type of waste	Quantity Generated	Where disposal
List is Empty		

BMW Management Committee	
Do you have BMW management committee:	yes
details:	Rohtak MOM

Training Conducted on BMW Details	
Number of training conducted on BMW Management:	2
Number of personnel trained:	16
Number of personnel trained at the time of induction:	0
Number of personnel not undergone any training so far:	0
Whether standard manual for training is available:	yes
Any other information:	

Details of the accident occurred	
No. of accident occurred:	0
Number of the persons affected:	0
Remedial Action taken:	0
Any Fatality occurred, details:	0

Other Details	
Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	Not Applicable
Details of Continuous online emission monitoring systems installed:	Not Applicable

Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	Not Applicable
It the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:	Not Applicable
Any other relevant information:	Not Applicable

MARUTI SUZUKI INDIA LIMITED
Biomedical Waste Register – November 2023

Category	Gurgaon	Manesar	Manesar Casting	Rohtak
Red (kg)	2.78	1.88	0.1	0.044
Yellow (kg)	1.83	1.88	0.3	0.048
Blue (kg)	0.4	0.2	0	0
White (kg)	0.3	0.1	0.1	0.007