

29th May, 2018

To
The Regional Officer,
Haryana State Pollution Control Board,
Regional Office, Vikas Sadan,
Gurgaon (North), Haryana


Sub: Submission of Bio-Medical Waste Returns Form – IV for Gurgaon Plant

Dear Sir,

We herewith submit the Bio-Medical Waste Returns Form – IV for the period from January 2017 to December 2017 as per Bio-Medical Waste Management Rules, 2016.

Thanking You

Yours Truly,
For Maruti Suzuki India Limited


Dr. Neeraj Khataja

Chief Medical officer

DMC: 4641

DR. NEERAJ KHATAJA
CHIEF MEDICAL OFFICER
MARUTI SUZUKI INDIA LTD.
GURGAON
DMC-4641

MARUTI SUZUKI INDIA LIMITED

Head Office:

Maruti Suzuki India Limited,
1, Nelson Mandela Road, Vasant Kunj,
New Delhi - 110070, India.
Tel: 011-46781000, Fax: 011-46150275/46150276
E-mail id: contact@maruti.co.in, www.marutisuzuki.com

Gurgaon Plant:

Maruti Suzuki India Limited,
Old Palam Gurgaon Road,
Gurgaon - 122015, Haryana, India.
Tel: 0124-2346721, Fax: 0124-2341304

Manesar Plant:

Maruti Suzuki India Limited,
Plot no.1, Phase - 3A, IMT Manesar,
Gurgaon - 122051, Haryana, India.
Tel: 0124-4884000, Fax: 0124-4884199

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No	Particulars	
1.	Particulars of the Occupier	
	(i) Name of the authorized person (occupier or operator of facility)	Kazunari Yamaguchi
	(ii) Name of HCF or CBMWTF	Maruti Suzuki India Limited (MSIL)
	(iii) Address for Correspondence	MSILPalam Gurgaon Road, Gurgaon
	(iv) Address of Facility	MSILPalam Gurgaon Road, Gurgaon
	(v) Tel. No, Fax. No	0124-439-3559
	(vi) E-mail ID	Neeraj.Khatuja@maruti.co.in
	(vii) URL of Website	www.marutisuzuki.com
	(viii) GPS coordinates of HCF or CBMWTF	Longitude - 28.496091 Latitude - 77.064252
	(ix) Ownership of HCF or CBMWTF	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	Status - Valid Authorization No. BMW17GUNO3589059
	(xi). Status of Consents under Water Act and Air Act	Valid up to: 30 th September 2020
2.	Type of Health Care Facility	-
	(i) Bedded Hospital	No. of Beds: Not Applicable
	(ii) Non-bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	Occupational Health Center
	(iii) License number and its date of expiry	Not Applicable
3.	Details of CBMWTF	
	(i) Number healthcare facilities covered by CBMWTF	Not Applicable
	(ii) No of beds covered by CBMWTF	Not Applicable


	(iii) Installed treatment and disposal capacity of CBMWTF:	Not Applicable			
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	Not Applicable			
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category: 0.65 Kg Per month			
		Red Category : 0.64 Kg Per Month			
		White Category: 0.11 Kg Per month			
		Blue Category : 0.55 Kg Per month			
		General Solid waste: Not Applicable			
5.	Details of the Storage, treatment, transportation, processing and Disposal Facility : Not Applicable				
	(i) Details of the on-site storage facility	Size : Not Applicable			
		Capacity : Not Applicable			
		Provision of on-site storage (cold storage or any other provision) : Not Applicable			
	(ii) Disposal facilities	Type of treatment equipment	No of units	Capacity Kg/day	Quantity Treated or Disposed in kg per annum
		Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder			
		Needle tip cutter or destroyer	1	100 Needles Tray capacity	2.4 kg
		Sharps encapsulation or concrete pit Deep burial pits Chemical disinfection Any other treatment equipment			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.) : Not Applicable			
	(iv) No of vehicles used for collection and transportation of biomedical waste	Not Applicable			
	(v) Details of incineration ash and	Not Applicable			

	ETP sludge generated and disposed during the treatment of wastes in Kg per annum	
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	Vulcan waste management PVT. LTD
	(vii) List of member HCF not handed over bio-medical waste.	Not Applicable
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes MOM is attached as Annex 1 & 2.
7.	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	1
	(ii) number of personnel trained	6
	(iii) number of personnel trained at the time of induction	Nil
	(iv) number of personnel not undergone any training so far	Nil
	(v) whether standard manual for training is available?	Yes
	(vi) any other information	Nil
8.	Details of the accident occurred during the year	Nil
	(i) Number of Accidents occurred	Nil
	(ii) Number of the persons affected	Nil
	(iii) Remedial Action taken (Please attach details if any)	Nil
	(iv) Any Fatality occurred, details.	Nil
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	Not Applicable
	Details of Continuous online emission monitoring systems installed	Not Applicable
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Not Applicable
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Not Applicable
12.	Any other relevant information	(Air Pollution Control Devices attached

	with the Incinerator) : Not Applicable
--	--

Certified that the above report is for the period from 1st January 2017 to 31st December 2017

.....
.....
.....
.....


(Dr. Neeraj Khatuja)
Name and Signature of the Head of the
Institution
DR. NEERAJ KHATUJA
QUALITY CONTROL OFFICER
SUZUKI SUZUKI INDIA LTD.
GURGAON
DMC-4641

Date: 3/05/18
Place: Gurgaon

29th May, 2018

To
The Regional Officer,
Haryana State Pollution Control Board,
Regional Office, IMT Manesar,
Gurgaon South, Haryana

Sub: Submission of Bio-Medical Waste Returns Form – IV for Manesar Plant

Dear Sir,

We herewith submit the Bio-Medical Waste Returns Form – IV for the period from January 2017 to December 2017 as per Bio-Medical Waste Management Rules, 2016.

Thanking You

Yours Truly,
For Maruti Suzuki India Limited

Ravi Aggarwal

Dr. Ravi Aggarwal
Chief Medical Officer
Gurgaon
HMC : 005861

MARUTI SUZUKI INDIA LIMITED

Head Office:
Maruti Suzuki India Limited,
1, Nelson Mandela Road, Vasant Kunj,
New Delhi - 110070, India.
Tel: 011- 46781000, Fax: 011-46150275/46150276
E-mail id: contact@maruti.co.in, www.marutisuzuki.com

Gurgaon Plant:
Maruti Suzuki India Limited,
Old Palam Gurgaon Road,
Gurgaon - 122016, Haryana, India.
Tel: 0124-2346721, Fax: 0124-2341304

Manesar Plant:
Maruti Suzuki India Limited,
Plot no.1, Phase - 3A, IMT Manesar,
Gurgaon - 122051, Haryana, India.
Tel: 0124-4884000, Fax: 0124-4884199

Form – IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No	Particulars	
1.	Particulars of the Occupier	
	(i) Name of the authorized person (occupier or operator of facility)	Kazunari Yamaguchi
	(ii) Name of HCF or CBMWTF	Maruti Suzuki India Limited(MSIL)
	(iii) Address for Correspondence	MSIL, Plot No 1, Phase 3A, IMT, Manesar
	(iv) Address of Facility	MSIL, Plot No 1, Phase 3A, IMT, Manesar
	(v) Tel. No, Fax. No	0124-4965900
	(vi) E-mail ID	Ravi.Aggarwal@maruti.co.in
	(vii) URL of Website	www.marutisuzuki.com
	(viii) GPS coordinates of HCF or CBMWTF	Longitude - 28.367276 Latitude - 76.888428
	(ix) Ownership of HCF or CBMWTF	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	Status – Valid Authorization No.: BMW17GUSO3589417
	(xi). Status of Consents under Water Act and Air Act	Valid up to: 30 th September 2020
2.	Type of Health Care Facility	-
	(i) Bedded Hospital	No. of Beds: Not Applicable
	(ii) Non-bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	Occupational Health Center
	(iii) License number and its date of expiry	Not Applicable
3.	Details of CBMWTF	
	(i) Number healthcare facilities covered by CBMWTF	Not Applicable
	(ii) No of beds covered by CBMWTF	Not Applicable

	(iii) Installed treatment and disposal capacity of CBMWTF:	Not Applicable			
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	Not Applicable			
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category: 3.49 kg per month			
		Red Category : 2.69 kg per month			
		White Category : 0.01 kg per month			
		Blue Category : 0.87 kg per month			
		General Solid waste:- Not Applicable			
5.	Details of the Storage, treatment, transportation, processing and Disposal Facility				
	(i) Details of the on-site storage facility	Size : Not Applicable			
		Capacity : Not Applicable			
		Provision of on-site storage (cold storage or any other provision) : Not Applicable			
	(ii) Disposal facilities	Type of treatment equipment	No of units	Capacity Kg/day	Quantity Treated or Disposed in kg per annum
		Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits Chemical disinfection Any other treatment equipment:	1	100 needles tray capacity	10 kg
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.) : Not Applicable			

	(iv) No of vehicles used for collection and transportation of biomedical waste	Not Applicable
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	Not Applicable
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	Vulcan Waste Management Pvt. Ltd.
	(vii) List of member HCF not handed over bio-medical waste.	Not Applicable
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes MOM is attached as Annexure 1 & 2.
7.	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	2
	(ii) number of personnel trained	9
	(iii) number of personnel trained at the time of induction	Nil
	(iv) number of personnel not undergone any training so far	Nil
	(v) Whether standard manual for training is available?	Yes
	(vi) any other information	Nil
8.	Details of the accident occurred during the year	Nil
	(i) Number of Accidents occurred	Nil
	(ii) Number of the persons affected	Nil
	(iii) Remedial Action taken (Please attach details if any)	Nil
	(iv) Any Fatality occurred, details.	Nil
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	Not Applicable
	Details of Continuous online emission monitoring systems installed	Not Applicable
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Not Applicable

11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Not Applicable
12.	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator) : Not Applicable

Certified that the above report is for the period from 1st January 2017 to 31st December 2017

.....

Dr. Neeraj Khatuja

(Dr. Neeraj Khatuja)

Name and Signature of the Head of the Institution

Date: 28/05/2018.

Place: Manesar

29th May, 2018

To
The Regional Officer,
Haryana State Pollution Control Board,
Regional Office, IMT Manesar,
Gurgaon South, Haryana

Sub: Submission of Bio-Medical Waste Returns Form – IV for Casting Plant

Dear Sir,

We herewith submit the Bio-Medical Waste Returns Form – IV for the period from January 2017 to December 2017 as per Bio-Medical Waste Management Rules, 2016.

Thanking You

Yours truly,
For Maruti Suzuki India Limited



Dr. Manish Garg
Chief Medical officer
MCI/ 13-49540

MARUTI SUZUKI INDIA LIMITED

Head Office:
Maruti Suzuki India Limited,
1, Nelson Mandela Road, Vasant Kunj,
New Delhi - 110070, India.
Tel: 011- 46781000, Fax: 011-46150275/46150276
E-mail id: contact@maruti.co.in, www.marutisuzuki.com

CIN: L34103DL1981PLC011378

Gurgaon Plant:
Maruti Suzuki India Limited,
Old Palam Gurgaon Road,
Gurgaon - 122015, Haryana, India.
Tel: 0124-2346721, Fax: 0124-2341304

Manesar Plant:
Maruti Suzuki India Limited,
Plot no.1, Phase - 3A, IMT Manesar,
Gurgaon - 122051, Haryana, India.
Tel: 0124-4884000, Fax: 0124-4884199

Form – IV
(See rule 13)
ANNUAL
REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No	Particulars	
1.	Particulars of the Occupier	
	(i) Name of the authorized person (occupier or operator of facility)	Yamaguchi Kazunari
	(ii) Name of HCF or CBM WTF	Maruti Suzuki India Limited (MSIL)
	(iii) Address for Correspondence	MSIL, Plot No. 26-B, Sector 3, IMT, Manesar
	(iv) Address of Facility	MSIL, Plot No. 26-B, Sector 3, IMT, Manesar
	(v) Tel. No, Fax. No	0124-4965900
	(vi) E-mail ID	Manish.garg@maruti.co.in
	(vii) URL of Website	www.marutisuzuki.com
	(viii) GPS coordinates of HCF or CBM WTF	Longitude - 28.359063 Latitude – 76.929962
	(ix) Ownership of HCF or CBM WTF	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	Status – Valid Authorisation No.: BMW17GUSO3589678
	(xi). Status of Consents under Water Act and Air Act	Valid up to: 30 th September 2020
2.	Type of Health Care Facility	-
	(i) Bedded Hospital	No. of Beds: 2
	(ii) Non-bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	Clinic Occupational Health Center
	(iii) License number and its date of expiry	Not Applicable
3.	Details of CBMWTF	
	(i) Number healthcare facilities covered by CBMWTF	Not Applicable

	(ii) No of beds covered by CBMWTF	Not Applicable			
	(iii) Installed treatment and disposal capacity of CBMWTF:	Not Applicable			
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	Not Applicable			
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category: 2 Kg per month			
		Red Category : -			
		White: -			
		Blue Category : -			
		General Solid waste: - Not Applicable			
5.	Details of the Storage, treatment, transportation, processing and Disposal Facility :				
	(i) Details of the on-site storage facility	Size : Not Applicable			
		Capacity : Not Applicable			
		Provision of on-site storage (cold storage or any other provision): Not Applicable			
(ii) Disposal facilities	Type of treatment equipment	No of units	Capacity Kg/day	Quantity Treated or Disposed in kg per annum	
	Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits Chemical disinfection Any other treatment equipment:	1	100 needles tray capacity	0.5 kg	
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.) : Not Applicable				
(iv) No of vehicles used for collection	Not Applicable				

	and transportation of biomedical waste	
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	Not Applicable
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	Vulcan waste management pvt. ltd.
	(vii) List of member HCF not handed over bio-medical waste.	Not Applicable
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes committee formed in financial year 2016-2017
7.	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	2
	(ii) number of personnel trained	5
	(iii) number of personnel trained at the time of induction	-
	(iv) number of personnel not undergone any training so far	NIL
	(v) whether standard manual for training is available?	YES
	(vi) any other information	-
8.	Details of the accident occurred during the year	Nil
	(i) Number of Accidents occurred	Nil
	(ii) Number of the persons affected	Nil
	(iii) Remedial Action taken (Please attach details if any)	Nil
	(iv) Any Fatality occurred, details.	Nil
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	Not Applicable
	Details of Continuous online emission monitoring systems installed	Not Applicable
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Not Applicable

11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Not Applicable
12.	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator) : Not Applicable

Certified that the above report is for the period from **1st January 2017 to 31st December 2017**

.....

DR NEERAJ KHATUJA

FOR : YAMAGUCHI KAZUNARI
 HEAD OF INSTITUTION

Date:

Place:

MANESAR

29th May, 2018

To
The Regional Officer,
Haryana State Pollution Control Board
Regional Office, SCO No. 42-43
HUDA Market, Sector-6, Bahadurgarh
Haryana

Sub: Submission of Bio-Medical Waste Returns Form – IV for Rohtak Plant

Dear Sir,

We herewith submit the Bio-Medical Waste Returns Form – IV for the period from January 2017 to December 2017 as per Bio-Medical Waste Management Rules, 2016.

Thanking You

Yours Truly,
For Maruti Suzuki India Limited



Dr. Arun Chaudhary
Chief Medical Officer
DMC : 41497



29/5/2018
Haryana State Pollution Control Board
SCF No. 42 & 43, SHOPING CENTRE
HUDA, SECTOR-6
BAHADURGARH (JHAJJAR)

MARUTI SUZUKI INDIA LIMITED

CIN: L34103DL1981PLC011375

Registered & Head Office:
Maruti Suzuki India Limited,
1 Nelson Mandela Road, Vasant Kunj,
New Delhi 110070, India.
Tel: 011-46781000, Fax: 011-46150275/46150276
www.marutisuzuki.com

Gurgaon Plant:
Maruti Suzuki India Limited,
Old Palam Gurgaon Road,
Gurgaon 122015, Haryana, India.
Tel. 0124-2346721, Fax: 0124-2341304

Rohtak R&D Centre:
Maruti Suzuki India Limited,
Plot No.1, Sec 33 B & 33 C
HSIIDC, IMT, Rohtak-124001, Haryana, India
Tel: +91-1262-336470

Form – IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

S. No	Particulars	
1.	Particulars of the Occupier	
	(i) Name of the authorized person (occupier or operator of facility)	Kazunari Yamaguchi
	(ii) Name of HCF or CBMWTF	Maruti Suzuki India Limited
	(iii) Address for Correspondence	R & D Centre, Plot No.1, Sector 33B & 33C, IMT HSIIDC Rohtak – 124001, Haryana
	(iv) Address of Facility	R & D Centre, Plot No.1, Sector 33B & 33C, IMT HSIIDC Rohtak – 124001, Haryana
	(v) Tel. No, Fax. No	0126-2336477, 0126-2336455
	(vi) E-mail ID	Arun.Chaudhary@maruti.co.in
	(vii) URL of Website	www.marutisuzuki.com
	(viii) GPS coordinates of HCF or CBMWTF	Longitude - 28.8924 Latitude - 76.5912
	(ix) Ownership of HCF or CBMWTF	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	Status - Valid Authorization No.: BMW17ROH3459219
(xi). Status of Consents under Water Act and Air Act	Valid up to Sept-2020	
2.	Type of Health Care Facility	
	(i) Bedded Hospital	No. of Beds: Not Applicable
	(ii) Non-bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	Occupational Health Center
	(iii) License number and its date of expiry	Not Applicable

3.	Details of CBMWTF	Not Applicable			
	(i) Number healthcare facilities covered by CBMWTF	Not Applicable			
	(ii) No of beds covered by CBMWTF	Not Applicable			
	(iii) Installed treatment and disposal capacity of CBMWTF:	Not Applicable			
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	Not Applicable			
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category: 0.6 Kg Per month			
		Red Category: 0.46 Kg Per Month			
		White: 0.06 Kg per Month			
		Blue Category: 0.4 Kg Per Month			
		General Solid waste – Not Applicable			
5.	Details of the Storage, treatment, transportation, processing and Disposal Facility				
	(i) Details of the on-site storage facility	Size : Not Applicable			
		Capacity : Not Applicable			
		Provision of on-site storage (cold storage or any other provision) : Not Applicable			
	(ii) Disposal facilities	Type of treatment equipment	No of units	Capacity or Kg/day	Quantity Treated or Disposed in kg per annum
		Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits Chemical disinfection Any other treatment equipment	1	100 needle tray capacity	0.72 kg

	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.) : Not Applicable
	(iv) No of vehicles used for collection and transportation of biomedical waste	Not Applicable
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	Not Applicable
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	S D Biomedical Waste Management Co, Ltd.
	(vii) List of member HCF not handed over bio-medical waste.	Not Applicable
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes. MOM is attached as Annex 1 & 2.
7.	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	3
	(ii) number of personnel trained	8
	(iii) number of personnel trained at the time of induction	NIL
	(iv) number of personnel not undergone any training so far	NIL
	(v) Whether standard manual for training is available?	Yes
	(vi) any other information	-
8.	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	NIL
	(ii) Number of the persons affected	NIL
	(iii) Remedial Action taken (Please attach details if any)	NIL
	(iv) Any Fatality occurred, details.	NIL
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	Not Applicable
	Details of Continuous online emission monitoring systems installed	Not Applicable

10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Not Applicable
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Not Applicable
12.	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator) : Not Applicable

Certified that the above report is for the period from **1st January 2017 to 31st December 2017**

.....


 (Dr. Arun Chaudhary)

Name and Signature of the Head of the
 Institution

Date: 29-05-2018

Place: Rohtak

Biomedical Waste Register – February 2019 – MSIL

Category	Gurgaon	Manesar	Manesar Casting	Rohtak
Red (kg)	0.35	0.27	0	0.54
Yellow (kg)	0.37	0.79	0.27	0.64
Blue (kg)	0	0.46	0	0.47
White (kg)	0	0.28	0	0