











































	TECHNICAL SPECIFICATIONS			
SPECIFICATION SHEET	PETROL CNG			
VARIANTS	"LXI MT, VXI MT/AMT, ZXI MT / AMT, ZXI+ MT/AMT"	VXI MT, ZXI MT		
DIMENSIONS				
Length (mm)		95		
Width (mm)	1735			
Height (mm)	1525			
Wheelbase (mm)	2450			
Turning Radius (m) Ground clearance (mm) (unladen)	4.8 163			
Seating Capacity	5			
Boot Space (L)	382 -			
ENGINE	302			
Engine Type	71	3E		
Fuel Type	Petrol	Petrol + CNG (Bi-Fuel)		
Engine Capacity (cc)		97		
Max Power (kW @rpm)	60 kW / 81.58 Ps @ 5700 rpm	51.3 kW / 69.75 Ps @ 5700 rpm		
Max Torque (Nm @ rpm)	111.7 Nm @ 4300 rpm	101.8 Nm @ 2900 rpm		
Emission Type		VI		
Fuel Efficiency	24.79 km/l MT 25.71 km/l AMT	33.73 km/kg		
Fuel Tank Capacity (L)	37L	Petrol: 37L CNG: 55L (water equivalent)		
Idle Start Stop	√	-		
TRANSMISSION				
Transmission	5MT/5AMT	5MT		
WEIGHT				
Kerb Weight (kg)	920-960 kg	1020-1025 kg		
Gross Vehicle Weight (kg)	1375 kg	1435 kg		
BRAKES				
Front	Di	sc		
Rear	Drum			
SUSPENSION				
Front		rson Strut		
Rear	Torsion	n Beam		
TYRES				
Tyre Size (Steel)	165/8	0 R14		
Tyre Size (Alloy)	185/6	5 R15		

	<b>FEATURES LIST</b>			
VARIANTS	LXI MT	VXI MT/AMT CNG MT	ZXI MT/AMT CNG MT	ZXI+ MT/AMT
EXTERIORS				
R15 Alloys	-	-	√ (Painted)	√ (Precision Cut)
R14 Steel Wheels	√	√		-
Full Wheel Covers	-	√	-	-
Sleek Line LED DRLs	-	-	√	√
LED Crystal Vision Headlamps	-	-	√	√
FocusBeam Projector Headlamps	√	√	-	-
Clarity Vision LED Fog Lamps	-	-	-	√
Chrome Finish - Front Grille	-	√	√	√
Chrome Finish - Trunk Lid Garnish	-	√	√	√
Side Turn Indicators on Outside Rear View Mirrors	-	√	√	√
Body Coloured Door Handles	-	√	√	√
Body Coloured Outside Rear View Mirrors	-	√	√	√
LED High Mount Stop Lamp	√	√	√	√
3D Trinity LED Rear Lamps Signature	√	√	√	√
Shark Fin Antenna	√	√	√	√
Aero Boot Lip Spoiler	√	√	√	√
Belt Line Garnish	Black	Black	Chrome	Chrome

INTERIORS				
Front Footwell Illumination	-	-	-	√
Leather Wrapped Steering Wheel with Urbane Satin Accent <sup>^</sup>	-	-	-	√
Urbane Satin Accents on Console, Door Trims	-	-	√	√
Chrome Finish - AC Vents	-	-	√	√
Chrome Finish - Inside Door Handles	-	√	√	√
Chrome Accent On Parking Brake Lever Tip And Gear Shift Knob	-	√	√	√
IP Ornament Finish	-	√ (Satin Silver)	√ (Satin Silver + Wood)	√ (Satin Silver + Wood)
Front Dome Lamp	-	√	√	√ (spot lamp)
Centre Room Lamp	√	√	√	-
Co. Driver Side Sunvisor with Vanity Mirror	√ (without mirror)	√	√	√
Driver Side Sunvisor with Ticket Holder	√ (without holder)	√	√	√
Front Door Armrest with Fabric	√	√	√	√
Dual-Tone Sophisticated Interiors ( Black & Beige)	√	√	√	√
Outside Temperature Display	-	AMT Only	√	√
Speedometer with Tachometer	√	√	√	√
Low-Fuel Warning Lamp	√	√	√	√
Multi-Information Display	√	√	√	√ (Coloured)

SAFETY & SECURITY				
Reverse Parking Camera	-	-	√	-
360 View Camera (HD)	-	-	-	√
Anti-Theft Security System (Shock Sensor)	-	-	-	√
Tyre Pressure Monitoring System (TPMS)	-	-	√	√
Day/Night Adjustable Inside Rear View Mirror	-	√	√	√
Speed-Sensitive Auto Door Locking	√	√	√	√

FEA	TURES LIST			
VARIANTS	LXI MT	VXI MT/AMT CNG MT	ZXI MT/AMT CNG MT	ZXI+ MT/AMT
SAFETY & SECURITY		ONO IIII	0.10	<u>'</u>
ear Defogger	√	√	√	√
ngine Immobilizers	√	√	√	√
Airbags (Front, Side and Curtain)^^	√	√	√	√
ligh-Speed Warning Alert*	√	√	√	√
-Point seat belts for all Seats	√	√	√	√
Seat Belt Reminder Lamp & Buzzer (all occupants)^^^	√	√	√	√
Suzuki HEARTECT Body	· /	√	√	· /
Electronic Stability Program (ESP)	· /	· /	· /	· /
Hill Hold Assist	1	<b>√</b>	<u>√</u>	V
NBS with EBD	V V	V		V /
			<u>.</u>	
Reverse Parking Sensors	√ .	√	√	√
SOFix Child Seat Anchorages	√	√	√	√
ront Seat Belt with Pre-Tensioner & Force Limiter	√	√	√	√
NFOTAINMENT		, ,		,
martPlay Pro+ with 22.86 cm Touchscreen surround Sense Powered by Arkamys	-	-	-	√ √
SmartPlay Pro with 17.78 cm Touchscreen	<del>-</del>	- /	<u>-</u> √	V
Indroid Auto and Apple CarPlay##	-	Wireless	Wireless	Wireless
	-	wireless √	wireless √	vviieless
Remote Control App for Infotainment	-	<b>√</b>	√	√ √
Steering Mounted Audio & Calling Controls Over The Air Updates (OTA) using Smartphone	-	<b>√</b>	√ √	√ √
		٧	٧	V
Onboard Voice Assistant (Wake-up Through "Hi Suzuki" with	-	√	√	√
Barge-in Feature)	-	J	-/	1
JSB & Bluetooth Connectivity				<u> </u>
Speakers (4 nos.)	-	√	<u>√</u>	<b>√</b>
weeters (2 nos.)	-	-	√	√
COMFORT & CONVENIENCE				
lectric Sunroof	-	-	-	√
Rear Reading Lamps	-	-	-	√
Cruise Control	-	-	-	√
Vireless Charger	-	-	√	√
Ingine Push Start-Stop Button with Smart Key	-	-	√	√
Auto headlamps with Follow Me Home & Lead Me to Vehicle	-	-		√
Key-fob operated Trunk opening	-	-	√	√
uggage Room Lamp	-	√	√	√
Rear AC Vent	-	√	√	√
Rear Seat Center Armrest with Cup Holder	-	√	√	√
Front USB (Type A)	-	√	√	√
Rear Fast Charging USB (Type A and C) with phone pocket	-	√	√	√
Electrically Adjustable Outside Rear View Mirrors	-	√	√	√
lectrically Foldable Outside Rear View Mirrors	-	√	√	√ (Auto fold on locking)
Height Adjustable Driver Seat	-	<b>√</b>	√	locking) √
Adjustable Rear Seat Headrests	-	√	√	· √
Gear Position Indicator (AMT Only)	-	· /	√ ·	· /
Gear Shift Indicator (MT Only)	✓ ✓	· ·	· /	1
Power Windows (Front + Rear)	· /	· √	· /	· /
Electromagnetic trunk opening	√	√	√	√
Adjustable Front Seat Headrests	V	V	√	· /
Auto Up Down and Pinch Guard Power Window (Driver)	√	√	√	√ .
Driver Side Footrest	V	· /	- √	· /
ront Accessory Socket	· /	· /	· /	1
Remote Keyless Entry System	V .	<b>→</b>		1
Central Locking	· /	· /	· /	1
Power & Tilt Steering	V	, ,	- ·	V
Bottle Holder on All Doors		V	√	V
Digital Air Conditioner with Panel Illumination	√ (Manual)	√ (Manual)	√ (Auto)	√ (Auto)
SUZUKI CONNECT**	T (Manaa)	(Wanday)	V (/ tato)	, (Auto)
mergency Alerts	-	-	√	√
reakdown Notification	-	-	· √	· √
Stolen Vehicle Notification & Tracking	-	-	√ √	V
			<u>√</u>	V V
	-			V V
ow-away and Tracking	-	-	-/	
ow-away and Tracking Geo-fence	-	-	√ √	
ow-away and Tracking Geo-fence Time fence		-	√	√
ow-away and Tracking ieo-fence i'me fence falet Alert	-	-	√ √	√ √
ow-away and Tracking Beo-fence lime fence Galet Alert rip Summary		-	√	√
ow-away and Tracking Seo-fence ime fence lalet Alert irjs Summary rriving Behaviour	- - - -	- - - -	√ √ √	\frac{1}{\sqrt{1}}
ow-away and Tracking Geo-fence ime fence /alet Alert rip Summary riving Behaviour hare Trip History	-	- - - - -	√ √ √ √	\frac{1}{} \frac{1}{} \frac{1}{} \frac{1}{} \frac{1}{} \frac{1}{}
ow-awy and Tracking Geo-fence ime fence datet Alert Tip Summary priving Behaviour hare Trip History wea Guidance	-		\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}}
iow-away and Tracking Seo-fence ime fence falet Alert rip Summary rivring Behaviour share Trip History usea Guidance ehicle Location Sharing	-	- - - - -	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}}
ow-awy and Tracking beo-fence lime fence lalet Alert rjp Summary priving Behaviour share Trip History urea Guidance ehicle Location Sharing berspeeding	-	- - - - - - -	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}}
iow-away and Tracking ioe-fence ime fence falet Alert rip Summary riving Behaviour share Trip History vera Guidance fehicle Location Sharing verspeeding earbelt	-		\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}}
ow-awy and Tracking iseo-fence ime fence alet Alert ips Summary riving Behaviour hare Trip History rea Guidance ehicle Location Sharing verspeeding eatbelt C Idlina	-	- - - - - - -	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}}
ow-awy and Tracking iseo-fence ime fence alet Alert ips Summary riving Behaviour hare Trip History rea Guidance ehicle Location Sharing verspeeding eatbelt C Idlina			\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}}
ow-awy and Tracking ieo-fence ime fence alet Alert ips Summary riving Behaviour hare Trip History rea Guidance ehicle Location Sharing verspeeding eatbelt C Idling ips (Start & End)			\frac{1}{\sqrt{1}} \frac{1}{\sqr	\frac{1}{\sqrt{1}}
iow-away and Tracking ioeu-fence ime fence (alet Alert irip Summary rriving Behaviour ihare Trip History vera Guidance (rehicle Location Sharing verspeeding eastbelt ic Idling irip (Start & End) ow Fuel	-		\frac{1}{\sqrt{1}}	V V V V V V V V V V V V V V V V V V V
ow-away and Tracking eo-fence ime fence alet Alert ips Summary riving Behaviour hane Trip History rea Guidance ehicle Location Sharing verspeeding eatbelt C Idling rip (Start & End) ow Fuel	-		\frac{1}{\sqrt{1}} \frac{1}{\sqr	V V V V V V V V V V V V V V V V V V V
ow-awy and Tracking to the form of the for	-		\frac{1}{\sqrt{1}} \frac{1}{\sqr	V V V V V V V V V V V V V V V V V V V
ow-awy and Tracking leo-fence ime fence alet Alert irip Summary iriving Behaviour hare Trip History rea Guidance lehicle Location Sharing verspeeding eatbelt C Idling irj (Start & End) ow Fuel ow Range lashboard View loor Lock/Cancel Lock	-		\frac{1}{\sqrt{1}} \frac{1}{\sqr	V V V V V V V V V V V V V V V V V V V
iow-awy and Tracking iow-awy and Tracking ieo-fence ime fence lalet Alert trip Summary oriving Behaviour share Trip History area Guidance ehicle Location Sharing overspeeding ioeatbelt Ct Idling Trip (Start & End) ow Fuel ow Range obshboard View loor Lock/Cancel Lock lazard Light On/Off	-		V V V V V V V V V V V V V V V V V V V	V V V V V V V V V V V V V V V V V V V
iow-away and Tracking iow-away and Tracking ioeo-fence ime fence latet Alert trip Summary ioriving Behaviour hare Trip History trea Guidance (whice Location Sharing iverspeeding leatbelt Co Idling Trip (Start & End) ow Fuel ow Range lasshboard View loor Lock/Cancel Lock lazard Light On/Off leadlight Off	-		\frac{1}{\sqrt{1}} \frac{1}{\sqr	V V V V V V V V V V V V V V V V V V V
ow-awy and Tracking beo-fence lime fence lalet Alert irp Summary priving Behaviour share Trip History trea Guidance ehicle Location Sharing verspeeding seatbelt C.Idling ling (Start & End) ow Fuel ow Range bashboard View boor Lock/Cancel Lock lazard Light On/Off leadlight Off lalerr			V V V V V V V V V V V V V V V V V V V	V V V V V V V V V V V V V V V V V V V
iow-awy and Tracking iow-awy and Tracking iow-fence ime fence later taler irip Summary irip Summary irip Summary irip Summary irip History irica Guidance rehicle Location Sharing iverspeeding ieatbelt ic Idling irip (Start & End) ow Fuel ow Range lashboard View loor Lock/Cancel Lock lazard Light On/Off leadlight Off larm immobiliser Request	-		\frac{1}{\sqrt{1}} \frac{1}{\sqr	V V V V V V V V V V V V V V V V V V V
ow-awy and Tracking Seo-fence Seo-fence Sime fence Salet Alert Trip Summary Driving Behaviour Share Trip History Vera Guidance Sehicle Location Sharing Serspeeding Seatbelt Cudling Cidling Crip (Start & End) Ow Fuel Ow Fuel Ow Fuel Seatory Seator			V V V V V V V V V V V V V V V V V V V	V V V V V V V V V V V V V V V V V V V
Tow-away and Tracking Seo-fence Time fence Valet Alert Trip Summary Driving Behaviour Share Trip History Area Guidance Vehicle Location Sharing Dverspeeding Seatbelt AC Idling Trip (Start & End) Low Fuel Low Range Door Lock/Cancel Lock Leazard Light On/Off Leadlight Off Alarm Immobiliser Request Santry Well Santry Well Santry Health San	-		\frac{1}{\sqrt{1}} \frac{1}{\sqr	V V V V V V V V V V V V V V V V V V V







Alluring Blue



Nutmeg Brown



Bluish Black~



Arctic White



Magma Grey



Splendid Silver

MT 24.79\*\*\* km/l

25.71\*\*\* km/l CNG 33.73\*\*\* km/kg

EGEND: (√) Available, (-) Not Available. Maruti Suzuki India Limited reserves he right to change prices, colours, equipment specifications, variants and liscontinue models without prior notice. Images are for reference purposes nly. Colours may vary from the actual body colour due to printing on paper. VDA Method. \*\*Suzuki Connect (Available Through Phone/ Smartwatch/ Suzuki Connect skill for Amazon Alexa.). Suzuki Connect is a networkependent telematic device. For detailed features, refer to the Suzuki Connect rochure. \*\*\*Fuel efficiency as certified by the test agency under Rule 115 of MVR 1989. \*\*\*\*Amazon, Alexa, and all related marks are trademarks of Amazon.com, Inc. or its affiliates. #If the vehicle's speed exceeds 80 km/h, hen the primary level warning will beep twice every minute. And, if the speed oes above 120 km/h, the secondary level warning will keep beeping. If the ehicle's speed slows down to 118 km/h, the primary warning will resume. If he vehicle is slowed down to 78 km/h, the speed alert warning will stop. This uzzer does not indicate any malfunction in the vehicle. ##Spare wheel naterial is steel & spare tyre size is 165/80 R14. ###Apple and iPhone are ademarks of Apple Inc., registered in the U.S. and other countries. Apple CarPlay is a trademark of Apple Inc., Apple CarPlay is available in the ountries listed in the following link: http://www.apple.com/ios/featurevailability/# applecarplay-applecarplay. Apple CarPlay is compatible with he iPhone models listed in the following link: http://www.apple.com/ios/ arplay. Android Auto™ extends the Android platform into the car in a way nat's purpose-built for driving. It is designed to minimise distraction so you an focus on driving with Google™ services like Google Map™ and Google earch™. Get the Android Auto app on Google Play™. Android Auto is available the countries listed at the following link: https://www.android.com/auto/ hit-the-road. Most phones with Android 5.0+ work with Android Auto: https://support.google.com/androidauto/ #6140477. Android, Android Auto, loogle, Google Play and other marks are trademarks of Google Inc. ^Some arts of the leather-appointed upholstery will contain man-made material. ^For details on the functioning of safety features, including airbags, kindly refer to the Owner's Manual. ^^^This certifies that, the Maruti Suzuki New Dzire Petrol as the "India's Most Fuel-Efficient Sedan" as of 08th Oct 2024. he certification is based on information communicated by MSIL that the New Dzire Petrol, with the fuel efficiency of 24.79 km/l. MSIL has also informed that the fuel-efficiency figures are as per the certification of the test agency.

Only Manual Transmission Sedan vehicles are considered from this claim lidation. Based on the data provided by MSIL and comparing the same with ehicle technical specifications researched independently by JATO Dynamics or the Passenger Car segment. ~Available in all variants except Lxi.

