TENDER			

Tender Offer Sheet for Scrap Items

Following Material is available for sale on AS IS WHERE IS BASIS IN MSILG/MSILM/MPTE/MPTC/ROHTAK

TENDER VALIDITY: - 01-JUN-24 TO 15-JUL-24
PRE-BID DATE AND TIME: - 21-May-2024 BETWEEN 1000 HRS TO 1300 HRS.
E BIDDING AUCTION DATE AND TIME: -22-May-2024 AT 0930 HRS Onwards.

										7	O HKS Oliwarus		
Sr. No.	Fr. No. Proposed Validity (Month)	ITEM CODE	DESCRIPTION	Unit	Participation EMD (Rs.)	SECURITY (RS.)	Q	ty. per Monti	h (approx.)		TOTAL TENDER QUANTITY	Lifting frequency/ Schedule	
	, , , , ,				,	,	Gurgaon	Manesar	MPTE	MPTC	ROHTAK	(Approx.)	
1	1.5	AC01-N	Mix Scrap of Aluminum Casting Component with Iron Attachment	KG	1	8,90,000	30,000	11,000	32,000	15,000	-	88,000	Weekly
2	1.5	EC-02	Mix Scrap of rejected Aluminum Electrical Cables	KG		2,20,000	10,000	13,000	9,000	8,000	-	40,000	Weekly
3	1.5	SAL01-N	Mix Scrap of Non Ferrous (Alumi. Sheets/Vessels etc) with Iron Attachment	KG		2,90,000	13,000	5,000	5,000	5,000	-	28,000	Fortnightly
4	1.5	WS02	Wood Pallets / Base / Wooden Box Sides / Solid Wood Batons	KG		20,000	50,000	-	-		-	50,000	Daily
5	1.5	AS01M	Scrap Iron & Steel (Assorted Steel)	KG		6,10,000	1	1,90,000	77,000	68,000	-	3,35,000	Daily
6	1.5	MSC1	Scrap of Iron & Steel (MS box container)	KG		2,10,000	1,04,000	14,000	4,000		-	1,22,000	Daily
7	1.5	BS01	Scrap Iron & Steel (MS box strpg/angl/suprt etc)	KG		80,000	19,000	30,000	-	-	-	49,000	Daily
8	1.5	SP01	Scrap of Iron & Steel (Sheet Pkg Cover)	KG		2,20,000	29,000	68,000	-	-	-	97,000	Daily
9	1.5	PP01	Scrap iron & steel (muti/dmg painted panel & body)	KG		1,10,000	35,000	40,000	-	-	-	75,000	Daily
10	1.5	UP01	Scrap iron & steel (mutilated / damaged unpainted panels)	KG		5,40,000	1,10,000	2,09,000	-	-	-	3,19,000	5/Day
11	1.5	SCASROL	Scrap of metals mix with Plastic (Castor Wheel / Roller / Pipes / Chairs etc)	KG	2,00,000	50,000	15,000	17,000	1,000		-	33,000	Weekly
12	1.5	SCSMA1	Scrap of component (starter motor, compressor, alternator etc.)	KG	2,00,000	1,60,000	13,000	1,000	2,000		-	16,000	Weekly
13	1.5	MSCWF	Scrap of Iron & Steel (MS Box Container with Fixtures)	KG		55,000	16,000	10,000	4,000		-	30,000	Weekly
14	1.5	PCB-GM	Scrap of Production Cardboards	KG		1,40,000	1,21,000	58,400	26,000	3,650	-	2,09,050	7/Daily
15	1.5	SPDCBP1-N	Scrap of Cardboards from SPD Gurgaon	KG		75,000	1,04,000	-	-	-	-	1,04,000	2/Daily
16	1.5	SPDCBP2-N	Mix scrap of Cardboards from SPD and IMM Manesar	KG		1,90,000	-	2,52,000	-	-	-	2,52,000	3/Daily
17	1.5	GPMLPPSC	Mix of multilayer plastic packaging material scrap	KG		500	125	-	-	-	-	125	Within 2 days after lifting intimation
18	1.5	MVECMLPPSC	Mix of multilayer plastic packaging material scrap	KG		500	-	-	30	-	-	30	Within 2 days after lifting intimation
19	1.5	RWCBP	Scrap of Cut ply/Wood/paper/Cardboards etc.	KG		3,000	-	-	-	-	7,000	7,000	Within 2 days after lifting intimation
20	1.5	RACSVC1	Scrap of Nonferrous Items (Aluminium Cable/Sheets/Vessels/Channels etc.).	KG		27,000	-	-	-	-	5,000	5,000	Within 2 days after lifting intimation
21	1.5	RAS01	Scrap of Iron & Steel (Assorted Steel).	KG		13,000	-	-	-	-	7,000	7,000	Within 2 days after lifting intimation
22	1.5	RCOMP	Mix Scrap of Rejected Mutilated Components	KG		18,000	-	-	-	-	7,000	7,000	Within 2 days after lifting intimation
23	(Non-Regular) 1.5 Month	RCEEW5TWP1061AS	Scrap of used/obsolete lighting work at two-wheeler parking area at MSIL Rohtak	NO		500		-	-	-	50	50	Within 2 days after lifting intimation
24	(Non-Regular) 1.5 Month	RELCTRF1061	Scrap of used/obsolete Transformer Unit of Test Bench at MSIL Rohtak	KG		8,000		-	-	-	1,000	1,000	Within 2 days after lifting intimation

TENDER			

Tender Offer Sheet for Scrap Items

Following Material is available for sale on AS IS WHERE IS BASIS IN MSILG/MSILM/MPTE/MPTC/ROHTAK

TENDER VALIDITY: - 01-JUN-24 TO 15-JUL-24
PRE-BID DATE AND TIME: - 21-May-2024 BETWEEN 1000 HRS TO 1300 HRS.
E BIDDING AUCTION DATE AND TIME: -22-May-2024 AT 0930 HRS Onwards.

										O HKS Oliwarus			
Sr. No.	Sr. No. Proposed Validity (Month)	ITEM CODE	DESCRIPTION	Unit	Participation EMD (Rs.)	SECURITY (RS.)	q	ty. per Mont	h (approx.)		TOTAL TENDER QUANTITY	Lifting frequency/ Schedule	
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						Gurgaon	Manesar	MPTE	МРТС	ROHTAK	(Approx.)	
25	(Non-Regular) 1.5 Month	GPCEEW111054AS	Scrap of Used/Obsolete HD LED television of SND	NO		500	1	-	-	-	-	1	Within 2 days after lifting intimation
26	(Non-Regular) 1.5 Month	GPCEEW61054AS	Scrap of Used/Obsolete Info Kiosk (Monitor) with model of LP and Display panel of SND and EMMG1 $$	KG		500	100	-	-	-	-	100	Within 2 days after lifting intimation
27	(Non-Regular) 1.5 Month	GPCEEW321054AS	Scrap of Used/Obsolete washing machines of PS3	NO		500	2	-	-	-	-	2	Within 2 days after lifting intimation
28	(Non-Regular) 1.5 Month	GITEW2151057AS	Scrap of IT Waste - Used/Obsolete Workstation (Not working) with accessories	NO		2,500	15	-	-	-	-	15	Within 2 days after lifting intimation
29	(Non-Regular) 1.5 Month	GITEW2501057AS	Scrap of IT Waste Used/Obsolete Standard Desktop (Not Working) with accessories	NO		8,000	50	-	-	-	-	50	Within 2 days after lifting intimation
30	(Non-Regular) 1.5 Month	GPELC1057AS	Scrap of Used/Obsolete Glossmeter, Electrone microscope, Weathrometer Intracooler etc of QA-MA1/2/3	KG		3,000	1,000	-	-	-	-	1,000	Within 2 days after lifting intimation
31	(Non-Regular) 1.5 Month	GPELCPNL1061AS	Scrap of Used/Obsolete APFC , PDB, LT, HT breaker panel and smoke detector with MS structure of EMUP-P	KG		68,000	16,000	-	-	-	-	16,000	Within 2 days after lifting intimation
32	(Non-Regular) 1.5 Month	GPCEEW41061AS	Scrap of Used/Obsolete Ceiling suspended ductable AC of EMUP-P	KG		2,500	1,000	-	-	-	-	1,000	Within 2 days after lifting intimation
33	(Non-Regular) 1.5 Month	GPELCPRJ1061AS	Scrap of Used/Obsolete projectors, Access control system, RFID system, VSAT & Modem, Jump starter and KISOK of PRS-G and SER-TRG/GTS	KG		1,000	200	-	-	-	-	200	Within 2 days after lifting intimation
34	(Non-Regular) 1.5 Month	MITEW251051AS	Scrap of IT Waste - Used/Obsolete Thin Client (working) with accessories od ITOS-M	NO		500	-	5	-	-	-	5	Within 2 days after lifting intimation
35	(Non-Regular) 1.5 Month	MVCEEW1921054AS	Scrap of Used/Obsolete Digital camera of VI-MC	NO		500	-	2	-	-	-	2	Within 2 days after lifting intimation
36	(Non-Regular) 1.5 Month	GPSHLFR1061AS	Scrap of Used/Obsolete Shallow fryer in canteen 1 of EMM-G2	KG		500	300	-	-	-	-	300	Within 2 days after lifting intimation
37	(Non-Regular) 1.5 Month	GPEQP1061AS	Scrap of Used/Obsolete Combined AC/LLC filling equipment in AS3 with MS structure of ASE	KG	2,00,000	7,500	5,000	-	-	-	-	5,000	Within 2 days after lifting intimation
38	(Non-Regular) 1.5 Month	GPAWSHR1061AS	Scrap of Used/Obsolete Air washer for MIS Engine and YE3 shops with MS structure of EMUP-P	KG		48,000	33,000	-	-	-	-	33,000	Within 2 days after lifting intimation
39	(Non-Regular) 1.5 Month	GPTRBN1061AS	Scrap of Used/Obsolete 2 MW Turbine with shed & structure, silencer for wast heat recover of EMMG-1	KG		4,67,500	1,70,000	-	-	-	-	1,70,000	Within 2 days after lifting intimation
40	(Non-Regular) 1.5 Month	GPSLPP1061	Scrap of Used/Obsolete Scissor lift with power pack and induction motor of WDE-G	KG		7,000	5,000	-	-	-	-	5,000	Within 2 days after lifting intimation
41	(Non-Regular) 1.5 Month	GPATRFS1061AS	Scrap of Used/Obsolete Auto transfer system with MS structure of WDE-G	KG		9,000	6,000	-	-	-	-	6,000	Within 2 days after lifting intimation
42	(Non-Regular) 1.5 Month	GPEXFCH1061AS	Scrap of Used/Obsolete Exhaust chamber & fan (PS-3) with MS structure of PNE	KG		28,000	20,000	-	-	-	-	20,000	Within 2 days after lifting intimation
43	(Non-Regular) 1.5 Month	MVFRKL11061AS	Scrap of Used/Obsolete Forklift of MP-MC	NO		7,500	-	1	-	-	-	1	Within 2 days after lifting intimation
44	(Non-Regular) 1.5 Month	MVSL1061AS	Scrap of Used/Obsolete Scissor lifts with MS Structure of MP-MC	KG		2,000	-	1,200	-	-	-	1,200	Within 2 days after lifting intimation
45	(Non-Regular) 1.5 Month	MVCONV1061AS	Scrap of Used/Obsolete warming up conveyor & panel with MS Structure of VIE-M	KG		1,30,500	-	87,000	-	-	-	87,000	Within 2 days after lifting intimation
46	(Non-Regular) 1.5 Month	MVCHPLT1061	Scrap of Used/Obsolete chequered plate with MS Structure of VIE-M	KG		1,54,000	-	1,10,000	-	-	-	1,10,000	Within 2 days after lifting intimation

TENDER NO. MSIL/SVR/ Tender/1061			Tender Offer Sheet for Scrap Items									
Following Material is available for sale on AS IS WHERE IS BASIS IN MSILG/MSILM/MPTE/MPTC/ROHTAK						TENDER VALIDITY: - 01-JUN-24 TO 15-JUL-24 PRE-BID DATE AND TIME: - 21-May-2024 BETWEEN 1000 HRS TO 1300 HRS. E BIDDING AUCTION DATE AND TIME: -22-May-2024 AT 0930 HRS Onwards.						
Proposed	ITEM CODE	DESCRIPTION	Unit	Participation EMD (Rs.)	SECURITY (RS.)	Qty. per Month (approx.)					TOTAL TENDER	Lifting frequency/ Schedule
validity (Floridity						Gurgaon	Manesar	MPTE	MPTC	ROHTAK	(Approx.)	Senedale
(Non-Regular) 1.5 Month	MVPMP1061AS	Scrap of Used/Obsolete Spray pump, ED anolyte pump and fan set with MS Structure in PS-MA of PNE	KG		6,000	-	3,500	-	-	-	3,500	Within 2 days after lifting intimation
(Non-Regular) 1.5 Month	MVFRCNV1061AS	Scrap of Used/Obsolete FCS conveyor with MS Structure in WS-MB of PNE	KG		1,65,000	-	1,10,000	-	-	-	1,10,000	Within 2 days after lifting intimation
(Non-Regular) 1.5 Month	MVASU1061AS	Scrap of Used/Obsolete ASU clear coat booth 2 with MS Structure in PS-MA of PNE	KG		1,31,500	-	35,000	-	-	-	35,000	Within 2 days after lifting intimation
(Non-Regular) 1.5 Month	MCOIL1061	Scrap of Used/Obsolete SUS Steel coils of SC-RMT1	KG		4,80,000	-	75,000	-	-	-	75,000	Within 2 days after lifting intimation
(Non-Regular) 1.5 Month	MEMEQP1061AS	Scrap of Used/Obsolete machine and equipments with MS Structure of TME	KG		4,000	-	-	2,500	-	-	2,500	Within 2 days after lifting intimation
	PRE-BID DATE AND TIME :	- 21-May-2024 BETWEEN 1000 HRS TO 1300 HRS.										
	All quantities of Gurgaon/ Man	esar/MPT/Rohtak plant are indicative & can vary. Party to whom tender is awarded need	to lift e	ntire available scrap b	oth from all location	ons of Gurgaon	& Manesar. In	case of non	fulfilment of	terms & conditi	ions by applicant,	EMD is liable to be forfeited.
	Physical inspection of material by bidder is compulsory for each item. If bidder is still bidding then it is taken into account that bidder is well versed with the product. Material Description is only an indication. Material is auctioned "As is where is Basis and No Complain basis". Later NO Complaint will be entertained by MSIL regarding actual material or any difference between sample and actual from pre bid date onwards.											
	MSIL reserves the right to withhold any tender in full or part without assigning any reason & will not be binding on MSIL.											
	For hazardous items (S. No. 1	.7 & 18, S No 23 to 37) refer terms & condition Part 1, Clause No. 17 Part-A, B & C.										
	MSIL reserves the right to cha	nge the validity period of the tenders without assigning any reason & will be binding on t	he partie	es at any time even a	fter the tender is c	losed and no c	laim will be ent	ertained.				
	Proposed Validity (Month) (Non-Regular) 1.5 Month (Non-Regular) 1.7 Month (Non-Regular)	Proposed Validity (Month) (Non-Regular) 1.5 Month (No	Proposed Validity (Month) ITEM CODE DESCRIPTION NVPMP1061AS Scrap of Used/Obsolete Spray pump, ED analyte pump and fan set with MS Structure in PS-MA of PNE (Non-Regular) 1.5 Month (Non-Regular) 1.5 Month MVASU1061AS Scrap of Used/Obsolete FCS conveyor with MS Structure in WS-MB of PNE (Non-Regular) 1.5 Month MVASU1061AS Scrap of Used/Obsolete ASU clear coat booth 2 with MS Structure in PS-MA of PNE (Non-Regular) 1.5 Month MCOIL1061 Scrap of Used/Obsolete SUS Steel coils of SC-RMT1 (Non-Regular) 1.5 Month MEMEQP1061AS Scrap of Used/Obsolete machine and equipments with MS Structure of TME TENDER VALIDITY: - 01-JUN-24 TO 15-JUL-24 PRE-BID DATE AND TIME: - 21-May-2024 BETWEEN 1000 HRS TO 1300 HRS. E BIDDING AUCTION DATE AND TIME: -22-May-2024 AT 0930 HRS Onwards. All quantities of Gurgaon/ Manesar/MPT/Rohtak plant are indicative & can vary. Party to whom tender is awarded need Physical inspection of material by bidder is compulsory for each item. If bidder is still bidding then it is taken into accounce complaint will be entertained by MSIL regarding actual material or any difference between sample and actual from pre MSIL reserves the right to withhold any tender in full or part without assigning any reason & will not be binding on MSI For hazardous items (S. No. 17 & 18, S No 23 to 37) refer terms & condition Part 1, Clause No. 17 Part-A, B & C.	ving Material is available for sale on AS IS WHERE IS BASIS IN MSILG/MSILM/MPTE/MPTC/ROHTAK Proposed Validity (Month) ITEM CODE DESCRIPTION Unit (Non-Regular) 1.5 Month MVPMP1061AS Scrap of Used/Obsolete Spray pump, ED anolyte pump and fan set with MS Structure in PS-MA of PNE (Non-Regular) 1.5 Month MVFRCNV1061AS Scrap of Used/Obsolete FCS conveyor with MS Structure in WS-MB of PNE (Non-Regular) 1.5 Month MVASU1061AS Scrap of Used/Obsolete ASU clear coat booth 2 with MS Structure in PS-MA of PNE (Non-Regular) 1.5 Month MCOIL1061 Scrap of Used/Obsolete SUS Steel coils of SC-RMT1 KG (Non-Regular) 1.5 Month MEMEQP1061AS Scrap of Used/Obsolete machine and equipments with MS Structure of TME KG TENDER VALIDITY: -01-JUN-24 TO 15-JUL-24 PRE-BID DATE AND TIME: -21-May-2024 BETWEEN 1000 HRS TO 1300 HRS. EBIDDING AUCTION DATE AND TIME: -22-May-2024 AT 0930 HRS Onwards. All quantities of Gurgan/ Manesar/MPT/Rohtak plant are indicative & can vary. Party to whom tender is awarded need to lift en Physical inspection of material by bidder is compulsory for each item. If bidder is still bidding then it is taken into account that IC Complaint will be entertained by MSIL regarding actual material or any difference between sample and actual from pre bid date of MSIL reserves the right to withhold any tender in full or part without assigning any reason & will not be binding on MSIL. For hazardous items (S. No. 17 & 18, S No 23 to 37) refer terms & condition Part 1, Clause No. 17 Part-A, B & C.	Proposed Validity (Month) ITEM CODE DESCRIPTION Unit Participation EMD (Rs.) (Non-Regular) 1.5 Month (Non-Regular) 1.5 Mo	Proposed Validity (Month) ITEM CODE DESCRIPTION Unit Participation EMD (Rs.) SCURITY (RS.)	TENDER VALIDITY: -01-JUN-24 To 15-JUL-24 PRE-BID DATE AND TIME: -21-May-2024 BETWEEN 1000 HRS To 1300 HRS. EBIDDING AUGUSTON DATE and DATE AND TIME: -21-May-2024 BETWEEN 1000 HRS To 1300 HRS. EBIDDING AUGUSTON DATE and DATE AND TIME: -22-May-2024 ABT 1030 HRS. EBIDDING AUGUSTON DATE and DATE AND TIME: -22-May-2024 ABT 1030 HRS. EBIDDING AUGUSTON DATE and DATE AND TIME: -22-May-2024 BETWEEN 1000 HRS To 1300 HRS. EBIDDING AUGUSTON DATE and Date and preserves the right to withhold any tender in full or part without assigning any reason & will not be binding on MSIL. Tender Validation of Product of the Participation of Product of the Product. Material Description of the product of the product of the product of the product. Material Description of the product is the product of the product with the product. Material Description of the product o	TENDER VALIDITY: - 01- PRE-BID DATE AND TIME Proposed Validity (Month) ITEM CODE DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION Unit Participation EDSCRIPTION Unit Participation (RS.) Grap of Used/Obsolete Spray pump, ED analyte pump and fan set with MS KG (Non-Regular) 1.5 Month (Non-Regular) 1.5 Month	TEM CODE DESCRIPTION Unit PMD (Rs.) SCULLY (RS.) OLD (RS	Tender Validity (Month) TIEM CODE DESCRIPTION DESCRIPT	Tender Validity (Month) Proposed Validity (Month) Proposed Validity (Month) 1.5 Month (Non-Regular) 1.5 Month (Non-R	Non-Regular 1.5 Month MVRCNV1061AS Scrap of Used/Obsolete Spray pump, ED anolyte pump and fan set with MS Structure in W5-MB of PNE Non-Regular 1.5 Month Non-Re