

Introducing the all-new **TOUR V** (EECO)

Maruti Suzuki becomes India's first automobile company to introduce speed limiting function in their taxis.



SPEED LIMITING FUNCTION



EXTRA DRIVING COMFORT



LOW COST OF OWNERSHIP



POWERFUL ENGINE



ANTI-LOCK BRAKING SYSTEM



REVERSE PARKING SENSORS

AVAILABLE VARIANT: 5-seater CNG

TECHNICAL SPECIFICATIONS

DIMENSION		
Length (mm)		3675
Width (mm)		1475
Height (mm)		1825
Wheelbase (mm)		2350
Tread	Front (mm)	1280
	Rear (mm)	1290
Minimum Turning Radius (m)		4.5
ENGINE & TRANSMISSION		
Engine Capacity (cc)		1196
Engine Type		G12B
Fuel Type		Petrol + CNG
Fuel Distribution		Multi Point Injection
No. of Cylinder		4
No. of Valves		16
Max. Power	Petrol	54kW @ 6000rpm
	CNG	46kW @ 6000rpm
Max. Torque	Petrol	98Nm @ 3000rpm
	CNG	85Nm @ 3000rpm
Transmission Type		5 speed-MT
CHASSIS		
Steering		Rack & Pinion Manual
Brake	Front	Disc
	Rear	Drum
Suspension	Front	MacPherson Strut
	Rear	3 Link Rigid
TYRES		
Tyre Size		155R13
Tyre Type		Tubeless
CAPACITY		
Seating Capacity		5 Seater
Fuel Tank Capacity	Petrol (Gasoline-L)	40
	CNG Cylinder Capacity (Water Equivalent-L)	65
WEIGHTS		
Kerb Weight (kg)	5 STR AC CNG	1050
Gross Vehicle Weight(kg)		1510

FEATURES


VARIANT	5 Seater CNG AC
COMFORT	
Air Conditioner	✓
Heater	✓
Reclining Front Seats	✓
Sliding Driver Seat	✓
Head Rest-Front Row	Integrated
Head Rest-Second Row	Fixed, Pillow
Seat Back Pocket (Co-Driver Seat)	✓
INSTRUMENT PANEL & CONSOLE	
Speedometer Illumination Colour	Amber
Multi Tripmeter	✓
Digital Meter Cluster (Fuel Level, Odometer & Tripmeter)	✓
12 Volt Accessory Socket	✓
INTERIOR	
Both Side Sunvisor	✓
Assist Grip (Co-Driver + Rear)	✓
Molded Roof Lining	✓
Molded Floor Carpet	✓
Front Cabin Lamp	✓
Rear Cabin Lamp	✓
EXTERIOR	
Wheel Cover	Center Cap
Front Mud Flaps	✓
Badging (TOUR V)	Decal
Outside Rear View Mirror (Left & Right)	✓
SAFETY & SECURITY	
Headlamp Leveling	✓
Side Impact Beams	✓
Maximum Speed Limit	80 km/h
Reverse Parking Sensor	✓
ABS with EBD	✓
Driver Airbag	✓
Seat Belts for all Seats	✓
High Mount Stop Lamp	✓
Driver and Passenger Seat belt Reminder	✓

Superior Mileage for
Maximum Savings

CNG
20.88*
km/kg

Petrol
16.11*
km/l

Body Colours






Solid
White



Metallic
Silky Silver



Pearl Midnight
Black



 **MARUTI SUZUKI ARENA**

MARUTI SUZUKI INDIA LIMITED

Plot No. I, Nelson Mandela Road, Vasant Kunj,
New Delhi-110 070, India.

Maruti Suzuki India Limited reserves the right to change without prior notice prices, colours, equipment specifications and models and also to discontinue models. Car model and accessories shown may not be a part of standard equipment. The vehicle is strictly for taxi use. Tour V is equipped with a speed limiting function in accordance with Rule 118 of CMVR, 1989. *As certified by Test Agency under Rule 115 CMVR, 1989. Crash compliance is with Offset Crash (as per AIS 098).

Introducing the all-new **TOUR V** (EECO)

Maruti Suzuki becomes India's first automobile company to introduce speed limiting function in their taxis.



SPEED LIMITING FUNCTION



EXTRA DRIVING COMFORT



LOW COST OF OWNERSHIP



POWERFUL ENGINE



DRIVER SIDE AIRBAG



ANTI-LOCK BRAKING SYSTEM



REVERSE PARKING SENSORS

AVAILABLE VARIANTS TOUR V: 5-SEATER STANDARD, 5-SEATER AC AND 7-SEATER STANDARD

TECHNICAL SPECIFICATIONS

DIMENSION		
Length (mm)		3675
Width (mm)		1475
Height (mm)		1825
Wheelbase (mm)		2350
Tread	Front (mm)	1280
	Rear (mm)	1290
Minimum Turning Radius (m)		4.5
ENGINE & TRANSMISSION		
Engine Capacity (cc)		1196
Engine Type		G12B
Fuel Type		Petrol
Fuel Distribution		Multi Point Injection
No. of Cylinder		4
No. of Valves		16
Max. Power		54kW @ 6000rpm
Max. Torque		98Nm @ 3000rpm
Transmission Type		5 speed -MT, Rear Drive
CHASSIS		
Steering		Rack & Pinion Manual
Brake	Front	Disc
	Rear	Drum
Suspension	Front	MacPherson Strut
	Rear	3 link rigid
TYRES		
Tyre Size		155R13
Tyre Type		Tubeless
CAPACITY		
Seating Capacity		5 Seater (Standard, AC)
		7 Seater (Standard)
Fuel Tank Capacity (Gasoline-L)		40
WEIGHTS		
Kerb Weight (kg)	5 Seater Standard	940
	5 Seater AC	940
	7 Seater Standard	940
Gross vehicle weight (kg)	5 Seater Standard	1510
	5 Seater AC	1510
	7 Seater Standard	1540


FEATURES

Variant	Tour V 5 Seater, Standard	Tour V 5 Seater, AC	Tour V 7 Seater, Standard
Comfort			
Air Conditioner	-	✓	-
Heater	✓	✓	✓
Reclining Front Seats	✓	✓	✓
Sliding Driver Seat	✓	✓	✓
Head Rest-Front Row	Integrated	Integrated	Integrated
Head Rest-Second Row	-	Fixed, Pillow	Fixed, Pillow
Head Rest-Third Row	-	-	Fixed, Pillow
Seat back Pocket (Co-Driver Seat)	-	✓	✓
Instrument Panel & Console			
Speedometer Illumination Colour	Amber	Amber	Amber
Multi Tripmeter	✓	✓	✓
Digital Meter Cluster (Fuel Level, Odometer & Tripmeter)	✓	✓	✓
12 Volt Accessory Socket	✓	✓	✓
Interior			
Both Side Sunvisor	✓	✓	✓
Assist Grip (Co-driver + Rear)	✓	✓	✓
Molded Roof Lining	✓	✓	✓
Molded Floor Carpet	✓	✓	✓
Front Cabin Lamp	✓	✓	✓
Rear Cabin Lamp	✓	✓	✓
Exterior			
Wheel Cover	Center Cap	Center Cap	Center Cap
Front Mud Flaps	✓	✓	✓
Badging (TOUR V)	Decal	Decal	Decal
Outside Rear View Mirror (Left & Right)	✓	✓	✓
Safety & Security			
Headlamp Leveling	✓	✓	✓
Side Impact Beams	✓	✓	✓
Maximum Speed Limit	80km/h	80km/h	80km/h
Reverse Parking Sensor System	✓	✓	✓
ABS with EBD	✓	✓	✓
Driver Airbag	✓	✓	✓
Seat Belts for all Seats	✓	✓	✓
High Mount Stop Lamp	✓	✓	✓
Driver and Passenger Seat belt Reminder	✓	✓	✓

**Superior Mileage for
Maximum Savings**

Petrol
16.11*
km/l

Body Colours



MARUTI SUZUKI ARENA

MARUTI SUZUKI INDIA LIMITED

Plot No. I, Nelson Mandela Road, Vasant Kunj,
New Delhi-110 070, India.

Maruti Suzuki India Limited reserves the right to change without prior notice prices, colours, equipment specifications and models and also to discontinue models. Car model and accessories shown may not be a part of standard equipment. The vehicle is strictly for taxi use. Tour V is equipped with a speed limiting function in accordance with Rule 118 of CMVR, 1989. *As certified by Test Agency under Rule 115 CMVR, 1989. Crash compliance is with Offset Crash (as per AIS 098).