





* MARUTI SUZUKI ARENA

For more details, contact Toll Free No: 1800 102 1800, 1800 1800 180


Maruti Suzuki India Limited, reserves the right to change without notice, prices, colours, equipments specifications, variants and also to discontinue models. Accessories and features shown in the pictures may not be part of standard equipment, and will differ according to the variant. For variant-specific features, refer to the equipment list. Colours shown may vary from actual body colours due to printing on paper. Images used are for illustration purposes.

MARUTI SUZUKI INDIA LTD., Plot No. 1, Nelson Mandela Road, Vasant Kunj, New Delhi 110070, Tel.011-46781000.






















STRONG ON TECHNOLOGY. With the revolutionary Auto Gear Shift technology and the new-age infotainment system, the Big New WagonR offers an unparalleled experience.













| Grade Name | | LXI 1.0L / LXI CNG 1.0L | VXI 1.0L / VXI AGS 1.0L | | ZXI 1.2L/ ZXI AGS 1.2L |
|--------------------------|---|-------------------------------|-------------------------------|------------------|------------------------------|
| INTERIORS | Dual Tone Interiors | √ | √ | √ | √ |
| | 2 nd Row 60:40 Split Seat | - | √ | √ | √ |
| | Front Cabin Lamps (3 Positions) | √ | √ | √ | √ |
| | Day/Night IRVM | - | √ | √ | √ |
| | Tilt Steering | - | √ | √ | √ |
| | Steering Wheel Garnish | - | √ | √ | √ |
| | Silver Inside Door Handles | - | √ | √ | √ |
| | Driver Side Sunvisor with Ticket Holder | √ | √ | √ | √ |
| | Front Passenger Side Vanity Mirror Sunvisor | - | √ | √ | √ |
| | Silver Finish Gear Shift Knob (AGS Only) | - | √ | √ | √ |
| | Instrument Cluster Meter Theme | Reddish Amber | Reddish Amber | Reddish Amber | White |
| | Low Fuel Warning | √ | √ | √ | √ |
| | Tachometer | - | - | - | √ |
| INSTRUMENT | Gear Shift Indicator (MT Only) | √ | √ | √ | √ |
| CLUSTER | Gear Position Indicator (AGS Only) | - | √ | √ | √ |
| | Fuel Consumption (Instantaneous and Avg.) | √ | √ | √ | √ |
| | Distance to Empty | √ | √ | √ | √ |
| | Headlamp On Warning | √ | √ | √ | √ |
| | Door Ajar Warning Lamp | √ | √ | √ | √ |
| COMFORT & CONVENIENCE | Rear Defogger | - | - | - | √ |
| | Remote Keyless Entry | - | √ | √ | √ |
| | Accessory Socket Front Row with Storage Space | √ | √ | √ | √ |
| | Power Windows (Fr/Rr) with Dr. Side Auto Down Function | Only Front | √ | √ | √ |
| | AC & Heater | √ | √ | √ | √ |
| | 1L Bottle Holders (All four doors + Floor console) | √ | √ | √ | √ |
| | Rear Parcel Tray | CNG Only | √ | √ | √ |
| | Co. Driver Side Front Seat Under Tray & Rear Back Pocket | - | - | - | √ |
| | Reclining & Front Sliding Seats | √ | √ | √ | √ |

| EATURES & SPE | URES & SPECIFICATIONS | | VARIANTS | | | |
|------------------------|---|-------------------------------|-------------------------------|------------------------------|------------------------------|--|
| rade Name | | LXI 1.0L / LXI CNG 1.0L | VXI 1.0L / VXI AGS 1.0L | VXI 1.2L/ VXI AGS 1.2L | ZXI 1.2L/ ZXI AGS 1.2L | |
| NFOTAINMENT - YSTEM | Smartplay Studio - 17.78 cm Touchscreen Infotainment | - | - | - | √ | |
| | Smartplay Dock | - | √ | √ | - | |
| | Apple CarPlay and Android Auto | - | - | - | √ | |
| | Bluetooth | - | √ | √ | √ | |
| | Speakers (2) | - | √ | √ | √ | |
| | USB CONNECTIVITY/AUX | - | √ | √ | √ | |
| | Steering Mounted Audio Control | - | - | √ | √ | |
| | Steering Mounted Voice Control | - | - | - | √ | |
| AFETY & ECURITY | Driver Airbag | √ | √ | √ | √ | |
| | Passenger Airbag | (0) | (0) | (0) | √ | |
| | ABS with EBD | √ | √ | √ | √ | |
| | Seat Belt Pre-tensioner & Force Limiters (Dr.+Co-Dr.) | (0) | (0) | (0) | √ | |
| | Seat Belt Reminder with Buzzer (Dr.+Co-Dr.) | √ | √ | √ | √ | |
| | Speed Alert System | √ | √ | √ | √ | |
| | Speed Sensitive Auto Door Lock | - | √ | √ | √ | |
| | Security Alarm | - | √ | √ | √ | |
| | Rear Parking Sensors | √ | √ | √ | √ | |
| | Central Locking | √ | √ | √ | √ | |
| | Child Proof Rear Door Lock | √ | √ | √ | √ | |
| | Front Fog Lamps | - | - | - | √ | |
| XTERIORS | Roof Antenna | √ | √ | √ | √ | |
| | Full Wheel Caps | - | √ | √ | √ | |
| | Signal Lamp Integrated in ORVM | - | - | - | √ | |
| | Electrical Adjustable ORVM | - | √ | √ | √ | |
| | Electrical Retractable ORVM | - | - | - | √ | |
| A I LINIONS | Rear Wiper & Washer | - | - | - | √ | |
| | B-Pillar Black Out Tape | - | - | √ | √ | |
| | Body Coloured Door Handles | - | √ | √ | √ | |
| | Body Coloured Bumpers | √ | √ | √ | √ | |
| | Body Coloured ORVMs | - | √ | √ | √ | |

| FEATURES & SPECIFICATIONS | | PETROL | . & CNG | | |
|------------------------------|--|-----------------|--------------------------------|--|--|
| Variants | LXI 1.0L, LXI CNG 1.0L, VXI 1.0L, VXI AGS 1.0L, VXI 1.2L , VXI AGS 1.2L, ZXI 1.2L, ZXI AGS 1.2L | | | | |
| DIMENSIONS | | | | | |
| Length (mm) | | 36 | 55 | | |
| Width (mm) | | 16 | 20 | | |
| Height (mm) | | 1675 | | | |
| Wheelbase (mm) | 2435 | | | | |
| Turning Radius (m) | 4.7 | | | | |
| ENGINE | | | | | |
| Туре | K1 | 0B | K12M | | |
| Capacity (cc) | 99 | 18 | 1197 | | |
| Number of cylinders | 3 | 1 | 4 | | |
| Maximum engine output (kW | 50 kW @ 5500 | rpm (Petrol) | 61 MM @ 6000 (D-+ ") | | |
| @ rpm) | 43.5 kW @ 55 | 00 rpm (CNG) | 61 kW @ 6000 rpm (Petrol) | | |
| Marrian (No. 0) | 90 Nm @ 3500 | 0 rpm (Petrol) | 110 Nov. C 4000 mars (Datas) | | |
| Maximum torque (Nm @ rpm) | 78 Nm @ 350 | 0 rpm (CNG) | 113 Nm @ 4200 rpm (Petrol) | | |
| Emission | | BS VI + | OBD-I## | | |
| SUSPENSION | | | | | |
| Front | | MacPherson Stru | t with Coil Spring | | |
| Rear | | Torsion Beam v | vith Coil Spring | | |
| CAPACITIES | | | | | |
| Seating Capacity | | Ę | 5 | | |
| Fuel Tank Capacity (Litres) | 32 (Petrol) / 60 (CNG cylinder water filling capacity) 32 (Petrol) | | 32 (Petrol) | | |
| Boot Space (Litres) | | 341^ (Petrol) | | | |
| WHEELS & TYRES | | | | | |
| Size | 155/80R13 (LXI 1. 165/70R14 | | 165/70R14 (VXI 1.2L, ZXI 1.2L) | | |
| Туре | | Radial & | Tubeless | | |
| BRAKES | | | | | |
| Front | | Di | sc | | |
| Rear | | Dru | ım | | |
| WEIGHT | | | | | |
| Gross Vehicle Weight (kg) | 1340 | | | | |
| Kerb Weight (kg) | LXI 1.0L, VXI 1.0L | LXI CNG 1.0L | VXI 1.2L, ZXI 1.2L | | |
| | 805-825 | 905-910 | 830-845 | | |
| Transmission | MT (LXI 1.0L / LXI CNG 1.0L) MT / AGS (VXI 1.2L, ZXI 1.2L) MT / AGS (VXI 1.2L, ZXI 1.2L) | | | | |



















| · ······cage oii | | |
|------------------------|--------------------------|------|
| nR Petrol 1L BS VI) | WagonR CNG 1L (BS IV) | W |
| 21 79* | 33 54 | 20 5 |















*As certified by Test Agency Under Rule 115 of CMVR 1989.

#As certified by Test Agency Under Rule 115 of CMVR 1989. ##LXI CNG 1.0L & LXI(0) CNG 1.0L variants are BSIV compliant.

AGS: Auto Gear Shift; MT: Manual Transmission, O: Optional (available in LXI, LXI CNG & VXI variants).

Maruti Suzuki India Limited reserves the right to change, without notice, price, colours, equipment specifications, and models and also to discontinue models and/or replace any part or accessory with any product. Accessory and feature shown in the pictures may not be a part of standard equipment and will differ according to the variant. Any offers made will be subject to availability of the product. For more details, contact your nearest store. **Spare wheel material is steel (for all variants).

*Android Auto** extends the Android platform into the car in a way that's purpose-built for driving. It is designed to minimise distraction so you can focus on driving with Google™ services like Google Maps™ and Google Search™. Get the Android Auto app on Google Play™. *Android Auto is available in the countries listed at the following link: https://www.android.com/auto/#hit-the-road. *Most phones with Android 5.0+ work with Android Auto: https://support.google.com/androidauto/#6140477. *Android, Android Auto, Google, Google Play and other marks are trademarks of Google Inc. Image used are for illustration purposes only. The speed alert system gives audible warning for alert of over-speed to driver. When vehicle speed exceeds about 80 km/h, primary level warning with two beeps will sound every minute. When the vehicle speed exceeds about 120 km/h, secondary level warning with continuous beeps will sound. If the vehicle speed is slowed down to about 118 km/h, primary warning will resume. If the vehicle is slowed down to about 78 km/h, speed alert warning will stop. This buzzer does not indicate any malfunction in vehicle.